

Technical Data

ENGINES

1.6 litre petrol

Fuel	UNLEADED 95 RON to EN 228 specification is recommended †
Capacity	1588 cm ³
Firing order	1-3-4-2
Idle speed	825 ± 50 rev/min
Bore	80 mm (3.15 in)
Stroke	79 mm (3.11 in)
Number of cylinders	4 in-line
Compression ratio	10.5:1
Ignition system	MEMS3 breakerless, electronic
Spark plugs	NGK PFR 6 N
Spark plug gap	0.90 mm ± 0.05 mm
† Unleaded fuels of 95 - 98 RON can be used.	

1.8 litre petrol

Fuel	UNLEADED 95 RON to EN 228 specification is recommended †
Capacity	1796 cm ³
Firing order	1-3-4-2
Idle speed:	
- 135 ps models	925 ± 50 rev/min
- all other 1.8 models	825 ± 50 rev/min
Bore	80 mm (3.15 in)
Stroke	89.3 mm (3.52 in)
Number of cylinders	4 in-line
Compression ratio	10.5:1
Ignition system	
- 1.8 automatic models	MEMS2J breakerless, electronic
- all other 1.8 models	MEMS3 breakerless, electronic
Spark plugs	NGK PFR 6 N
Spark plug gap	0.90 mm ± 0.05 mm
† Unleaded fuels of 95 - 98 RON can be used.	

Technical Data

CAPACITIES

Fuel tank (usable)	50 litres (11.0 gallons)
Engine oil (and filter) refill:	4.5 litre (7.9 pints)
Manual gearbox refill:	2.2 litre (3.8 pints)
Automatic gearbox refill	4.5 litre (7.9 pints)
Cooling system refill:	10.5 litre (18.5 pints)
Washer reservoir	2.2 litres (3.8 pints)

ELECTRICAL

Battery type:	
1.6 - manual gearbox	H5, sealed for life
1.8 - manual gearbox	H5, sealed for life
1.8 - automatic gearbox	H5, sealed for life
Battery rating:	
H5 Battery	63 amp/hr
Voltage and polarity	12 V, negative (-) earth

WHEELS & TYRES

Wheel size and type

Type	Size
Alloy wheels:	
15" wheels	6.0J x 15
16" wheels	7.0J x 16
Spare wheels:	
14" steel †	5.5J x 14
16" alloy †	7.0J x 16
Road wheel nut torque	70 Nm
† The spare wheel may be a different size to the road wheel it replaces, and is for temporary use only. Road speed must be limited to a maximum of 50 mph (80 km/h).	

Tyre specification

Wheel size	Tyre
6.0J x 15 (alloy)	
Front:	185/55 R15 82V
Rear:	205/50 R15 86V
7.0J x 16 (alloy)	
Front:	195/45 R16 80W
Rear:	215/40 R16 82W
5.5J x 14 spare (steel)	175/65 R14 82T
7.0J x 16 spare (alloy)	195/45 R16 80W

Technical Data

TYRE PRESSURES

Speeds up to 100mph (160km/h)


Tyre size	Tyre pressure	
185/55 R15 82V (front)	26 lb/in ²	1.8 bar
195/45 R16 80W (front)	26 lb/in ²	1.8 bar
205/50 R15 86V (rear)	32 lb/in ²	2.2 bar
215/40 R16 82W (rear)	36 lb/in ²	2.5 bar
175/65 R14 82T (spare) †	32 lb/in ²	2.2 bar
195/45 R16 80W (spare) †	32 lb/in ²	2.2 bar
† The spare wheel may be a different size to the road wheel it replaces, and is for temporary use only. Road speed must be limited to a maximum of 50 mph (80 km/h).		

Speeds above 100mph (160km/h)

Tyre size	Tyre pressure	
185/55 R15 82V (front)	28 lb/in ²	1.9 bar
195/45 R16 80W (front)	28 lb/in ²	1.9 bar
205/50 R15 86V (rear)	32 lb/in ²	2.2 bar
215/40 R16 82W (rear)	36 lb/in ²	2.5 bar

Technical Data

DIMENSIONS



	Suspension	
	Standard	Sports
Overall length - A	3943 mm (155.2 in.)	3943 mm (155.2 in.)
Overall width (excluding mirrors) - B	1628 mm (64.1 in.)	1628 mm (64.1 in.)
Overall width (including mirrors) - C	1807 mm (71.14 in.)	1807 mm (71.14 in.)
Overall height - D		
- Soft-top	1261 mm (49.7 in.)	1249 mm (49.2 in.)
- Hard-top	1264 mm (49.8 in.)	1252 mm (49.3 in.)
Wheelbase - E	2375 mm (93.5 in.)	2375 mm (93.5 in.)
Front overhang - F	841 mm (33.1 in.)	841 mm (33.1 in.)
Rear overhang - G	726 mm (28.6 in.)	726 mm (28.6 in.)
Ground clearance (at unladen weight) - H	124 mm (4.9 in.)	114 mm (4.5 in.)
Turning circle (kerb to kerb)	10.56 m (34 ft. 8 in.)	10.56 m (34 ft. 8 in.)

Technical Data

WEIGHTS

		1.6i	1.8i	1.8i auto	1.8 VVC
Approximate unladen vehicle weight †	kg	1095 - 1150	1105 - 1170	1125 - 1180	1115 - 1180
	lb	2410 - 2535	2435 - 2575	2480 - 2600	2455 - 2600
Max. gross vehicle weight	kg	1320 - 1390	1320 - 1390	1390	1390
	lb	2910 - 3060	2910 - 3060	3060	3060
Max. front axle load	kg	600 - 610	600 - 610	610	610
	lb	1320 - 1345	1320 - 1345	1345	1345
Max. rear axle load	kg	740 - 790	740 - 790	790	790
	lb	1630 - 1740	1630 - 1740	1740	1740
Max. bootlid load	kg	20	20	20	20
	lb	45	45	45	45
Optional hard-top weight	kg	20	20	20	20
	lb	45	45	45	45
† Unladen vehicle weight is calculated with no occupants and fuel tank 90% full.					

Fuel Consumption

FUEL CONSUMPTION

The fuel consumption figures shown below have been calculated using a standard testing procedure (the EC test procedure from Directive 99/100/EC), and produced in accordance with The Passenger Car Fuel Consumption (Amendment) Order 1996. Under normal use, a car's actual fuel consumption figures may differ from those achieved through the test procedure, depending on driving technique, road and traffic conditions, environmental factors, vehicle load and condition.

Fuel consumption figures

	URBAN		EXTRA-URBAN		COMBINED		CO ² g/km
	mpg	l/100km	mpg	l/100km	mpg	l/100km	
1.6i manual	29.2	9.7	50.4	5.6	39.8	7.1	169
1.8i manual	26.2	10.8	47.4	6.0	36.6	7.7	184
1.8i automatic	24.8	11.4	45.3	6.2	34.7	8.1	194
1.8 VVC	26.7	10.6	49.6	5.7	37.6	7.5	179

Urban cycle

The urban test cycle is carried out from a cold start and consists of a series of accelerations, decelerations and periods of steady speed driving and engine idling. The maximum speed attained during the test is 31 mph (50 km/h) with an average speed of 12 mph (19 km/h).

Extra-urban cycle

The extra-urban test cycle is carried out immediately after the urban test. Approximately half of the test comprises steady-speed driving, while the remainder consists of a series of accelerations, decelerations and engine idling. The maximum test speed is 75 mph (120 km/h) and the average speed 39 mph (63 km/h). The test is carried out over a distance of 4.3 miles (7 km).

Combined

The combined figure is an average of the urban and extra-urban test cycle results, which has been weighted to take account of the different distances covered during the two tests.

DECLARATION OF CONFORMITY

CE 0682

This declaration is the responsibility of the manufacturer / authorised representative within the Community:

Supplier
Connaught Electronics Ltd.
Supplier Address
Dunmore Road,
Tuam
Co. Galway,
Ireland

This certifies that the following designated product

433.92MHZ TRANSMITTER PART NO. CEL 5657

(Product identification)

complies with the essential protection requirements of R&TTE Directive 1999/5/ EC on the approximation of the laws of the Member States relating to *Radio Spectrum Matters, EMC and Electrical Safety*.

This declaration applies to all specimens manufactured in accordance with the technical documentation described in the annex II. Connaught Electronics Ltd. keep this documentation at the proposal of the relevant national authorities of any Member State for inspection purpose.

Assessment of compliance of the product with the requirements relating to the essential requirements acc. to Article 3 R&TTE was based on Annex IV of the Directive 1999/5/ EC and the following standards:

Radio Spectrum :EN 300 220-1
(Identification of regulations / standards)

EMC :EN 300 683
(Identification of regulations / standards)


Safety :EN 60950
(Identification of regulations / standards)

(Place, date)

Tuam, Ireland

09/06/03

(Signature)


ALAN MORAN

Roadside Assistance and Warranty

126 *Roadside Assistance*

128 *Warranty*



Roadside Assistance

SERVICE PROVIDER

MG Rover have employed the services of the Automobile Association, to provide you with a comprehensive roadside assistance programme, available 24 hours a day, every day of the year.

WHO IS COVERED?

The Roadside Assistance programme is vehicle-based, so it covers anyone driving your car in the UK with your permission. All new vehicles are automatically covered for 12 months from the date of first registration, with the full range of benefits detailed below.

If you are already a member of the AA and are unsure about how your membership will be affected by the Roadside Assistance Programme, please telephone the AA for advice on:

☎ 0800 18 10 15

Please note that, while you can choose to suspend your personal AA membership for the duration of the Roadside Assistance Programme, suspension will not happen automatically.

WHAT IS INCLUDED?

Roadside Assistance

If your vehicle breaks down at the roadside and is immobilised, we will send an AA patrol or appointed agent to get you back on the road. In exceptional circumstances where an 'on-the-spot' repair is not possible, you are entitled to use the Recovery service detailed below.

Home Start

If your vehicle breaks down at or within 1/4 mile of your home, Home Start will bring help to your doorstep. If your vehicle cannot be repaired, the AA will transport it to the nearest MG Rover Authorised Repairer, a suitably equipped servicing garage or to another destination of your choice, whichever is the nearer.

Recovery

If your vehicle breaks down more than 1/4 mile from your home and a prompt local repair at the roadside is not possible, we will arrange onward passage for you, up to four passengers and your vehicle to the nearest MG Rover Authorised Repairer, a suitably equipped servicing garage or to any other single destination in the UK mainland or Northern Ireland. This also includes the Isle of Man and the Channel Islands, although any ferry costs must be borne by you. If you are towing a trailer or caravan at the time, this will also be recovered, subject to certain weight and size restrictions.

Message Service

If you wish, we will also get a message to a relative or colleague to let them know what is happening.

Roadside Assistance

Road Traffic Accidents

In the unfortunate event that your car is involved in a road traffic accident, the AA will recover it to your nearest MG Rover Authorised Repairer or a suitably equipped servicing garage.

Your vehicle's repairer is YOUR CHOICE - so in the event of an accident ask the AA to relay your car to the bodyshop of your choosing.

OPTIONAL EUROPEAN COVER

Your roadside assistance cover also entitles you to purchase optional AA Five Star European Breakdown cover at preferential rates. AA Five Star European Assistance can give you and your family peace of mind while travelling in your car anywhere in continental Europe (subject to terms and conditions).

To purchase European Breakdown cover, please telephone at least 3 working days prior to departure on:

☎ 0121 504 4189

WHAT TO DO WHEN YOU NEED ASSISTANCE

Before calling for assistance, please make sure you have the following details ready:

- The registration number of your vehicle
- Your name
- Your home address
- A telephone contact number at the breakdown site
- The model and colour of your vehicle
- The nature of your breakdown
- Your exact location

To contact Roadside Assistance please phone the following number:

☎ 0800 55 33 99

If you believe you are in a vulnerable or dangerous situation, please make this clear at the time of your call.

- After making the call, return to a safe place near your vehicle.

If the problem resolves itself before assistance arrives, please call and let us know.

YOUR COMMENTS

We strive constantly to improve and develop our services, and we greatly appreciate your comments - good or bad. If you have a commendation, a complaint or just a comment about the roadside assistance service, please let us know by calling the AA:

☎ 0845 607 6727 (calls are charged at local rates),

or by sending an e-mail to:

MemberRelations@theAA.com

TERMS AND CONDITIONS

For a copy of the AA's full Terms and Conditions, please write to: MG Rover Assistance, The AA, Fanum House, Dog Kennel Lane, Halesowen, West Midlands, B63 3BT.

Warranty

THE MG ROVER WARRANTY

MG Rover Warranty provides free of charge repair or replacement by an MG Rover Authorised Repairer of any part (including painted parts) that fails as a result of a manufacturing or material defect during the warranty period.

- In addition, MG Rover warranty provides a six year anti-perforation warranty.

WARRANTY PERIOD

- Commences on the day the vehicle is first registered or the date of sale to its first owner (whichever is the sooner) and is irrespective of change of ownership. The vehicle is covered for the first 12 months of the warranty period with no distance restriction, and thereafter where an Extended MG Rover Warranty has been provided in the market where the vehicle was originally sold.

SIX YEAR ANTI-PERFORATION WARRANTY

The Anti-Perforation Warranty covers your car against perforation due to rust-through of the body panels for six years from the date of registration or delivery to the first owner (whichever is the sooner).

The term 'rust-through' means the rusting through from the inside or underside of body panels as a result of faulty manufacture or materials, and does not cover corrosion caused by neglect, accident damage, stone chips or other influences.

NOTE: *The Anti-Perforation Warranty applies to painted body panels only. It is a requirement of the warranty that the body panels be examined annually by an MG Rover Authorised Repairer. You should be aware that this examination is free of charge ONLY when carried out at the time of a routine service (see 'Service History').*

Warranty

DEFINITIONS

The Warranty Holder: The purchaser of the vehicle as named on the Warranty Certificate, or any subsequent purchaser to whom the benefits of the Extended Warranty have been transferred by the Warranty Administrator.

The Warranty Administrator: MG Rover Warranty Administration, PO Box 41, Longbridge, Birmingham B31 2TB.

The Distributor: The MG Rover Distributor from whom the original Warranty Holder purchased the vehicle.

The Vehicle: The motor vehicle referred to under 'Vehicle details' in the Service History.

Warranty: The Extended Warranty provided by the vehicle manufacturer to the Warranty Holder on the terms and conditions described.

United Kingdom: Means Great Britain, Northern Ireland, the Channel Islands and the Isle of Man.

Europe: Means Andorra, Austria, Belgium, Bulgaria, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Italy, Liechtenstein, Luxembourg, Netherlands, Norway, Poland, Portugal, Republic of Ireland, Slovakia, Spain, Sweden and Switzerland.

WARRANTY COVER

- Guarantees repair, replacement or adjustment, free of charge, by an MG Rover Authorised Repairer, of any part which fails during the warranty period, as a result of a manufacturing or material defect.
- Guarantees all 'wear and tear' items (excluding tyres) that are subject to failure (as a result of a manufacturing or material defect) during the first 12 months of the Warranty period or prior to the first scheduled, chargeable main service (whichever is the sooner).
- Guarantees any parts replaced under the terms of the warranty for the balance of the warranty period.

NOTE: *The tyre manufacturer covers tyres separately.*

Warranty

WARRANTY CONDITIONS

MG Rover Warranty conditions require that:

- All claims are notified to, and carried out by, an MG Rover Authorised Repairer during the Warranty period.
- All repairs, damage rectification or fitting of replacement parts and accessories are carried out by an MG Rover Authorised Repairer and in accordance with MG Rover instructions.
- The vehicle has not been altered from the original specification, where said alterations may be found to be the cause of any subsequent component failure.
- The body panels are inspected annually throughout the warranty period by an MG Rover Authorised Repairer and any rectification work found necessary is carried out in accordance with MG Rover recommendations.
- The vehicle has not suffered from neglect, improper repair or improper use, and has been properly cleaned, maintained and serviced in accordance with MG Rover's recommendations.
- Each main service is carried out within 2000 miles/3200 kilometres or 28 days of the recommended distance interval or service anniversary date as shown on the Service Interval Plan (within the Owner Handbook) and that the appropriate Service Record page is stamped and endorsed by the servicing agent. Whilst warranty will not be invalidated if a non-authorised MG Rover repairer carries out this work, warranty faults resulting from work carried out by a non-authorised repairer may not be covered under the MG Rover Warranty.
- MG Rover approved parts are used for repairs effected under warranty, except as an emergency repair, which must be made good within 14 days using components approved by MG Rover.
- The vehicle is not used for rallying, racing or competition purposes of any kind.

- The vehicle is not subjected to any load heavier than the maximum recommended by the manufacturer.
- The vehicle is not subject to modifications that are not recommended by MG Rover, except as an emergency repair, which must be made good within 14 days according to MG Rover's recommendations.

NOTE: *The owner's protection under the terms of the MG Rover Warranty does not affect their statutory rights in law.*

Warranty

WHAT IS NOT COVERED?

There are some uses, natural occurrences and aspects of ownership that are excluded and not covered by the warranty. These are described below:

- Those items which require replacement or maintenance due to damage or which have been subjected to fair wear and tear e.g. tyres, brake pads, clutch lining, bulbs, wiper blades etc (See 'WARRANTY COVER', page 129).
- Those items which require adjustment or replacement as part of routine servicing and maintenance during the warranty period, e.g. spark plugs, oil filters and auxiliary drive belts etc.
- Exhaust systems including catalytic converters are covered for the first 12 months of the Warranty period only, except for Rover 75/ MG ZT (not 260 models) which has the life of the warranty up to 3 years.
- Any part of the body that has suffered accidental damage, unless the damage has been repaired to MG Rover's specification.
- Corrosion resulting from damage to the paintwork caused by stones, scratches, accidental damage, atmospheric pollution or the application of corrosive materials.
- Corrosion resulting from fitting accessories that are not approved by MG Rover, or from fitting approved accessories in a manner not in accordance with MG Rover's fitting instructions.
- Replacement of fuel, anti-freeze, hydraulic fluids, grease or oils, unless required in direct connection with the repair or replacement of an approved component.
- Any failure caused by lack of, or, improper maintenance.
- Damage caused by, or arising from, war, strikes, vandalism, accidents, collision, fire, explosion, theft or attempted theft, adverse weather conditions or any act or omission that is wilful, unlawful or negligent.
- Depreciation or any consequential loss.
- Any exploratory dismantling charges will only be reimbursed as part of valid claims. It is the responsibility of the warranty holder to authorise and pay the charges if it proved that the failure is not the responsibility of MG Rover.
- Any vehicle that has been written off by an insurer; or any repair, replacement or alteration not approved by MG Rover; experimental adjustments or vehicles modified in any way from MG Rover's specification.
- Vehicles that have exceeded the maximum permitted distance covered by the Warranty.

TRANSFER OF OWNERSHIP/CHANGE OF ADDRESS

Should you sell your vehicle, the benefits of any unexpired portion of the warranty can be transferred to the new owner by supplying revised vehicle ownership details to MG Rover Warranty Administration.

Similarly, if you change your address, it is important to notify MG Rover Warranty Administration. In either case, send revised address and ownership details, including: the vehicle registration number and vehicle identification number (VIN), to the following address for the UK, and your nearest MG Rover agent elsewhere in the EU.

MG Rover Group, Warranty Administration, PO Box 41, Longbridge, Birmingham B31 2TB.

HOW TO MAKE A CLAIM

- If you need to make a claim, take your vehicle to an MG Rover Authorised Repairer, who will progress the claim on your behalf.
- Hand this book to the MG Rover Authorised Repairer. In the majority of cases the Authorised Repairer will be able to carry out the repair immediately. However, you should note that occasionally the nature of the repair may require the MG Rover Authorised Repairer to obtain authority from the manufacturer before proceeding.

NOTE: *MG Rover reserve the right to inspect your vehicle if necessary, and also that any replaced components will be retained by the MG Rover Authorised Repairer.*

IF YOU NEED HELP OR ADVICE

All MG Rover Authorised Repairers are qualified to provide advice and assistance about every aspect of the warranty. If you have a problem or simply need more information, please consult an MG Rover Authorised Repairer.

Warranty

PARTS WARRANTY - MG ROVER PARTS WARRANTY STATEMENT

XPart Ltd. (MG Rover Parts) will repair or exchange any original MG Rover part (the 'Part') free of charge, if it requires repair or replacement as a result of defective material or workmanship in manufacture within 12 months of the date of purchase, provided that:

- The purchaser, shall immediately on discovering any defect in the Part, return it to the seller or to an MG Rover Authorised Repairer or Parts Dealer/Wholesaler, together with a copy of the original invoice showing the date and place of purchase and particulars sufficient for the matter to be identified, including the distance the vehicle has travelled since the fitment of the failed part.
- The Part has not been abused in any way or damaged by neglect, accident or improper use or fitting.
- The Part has not been altered, modified or adapted in any way except with MG Rover Parts written consent.
- The Part, or any vehicle to which it has been fitted, has not been used for competition, racing or record attempts.
- The Part, or any vehicle to which it has been fitted, has been maintained in accordance with the manufacturer's published recommendations.
- The repair or exchange is not simply as a result of fair wear and tear.

Additionally, no labour charge will be made for such a repair where the Part is being repaired or replaced by an MG Rover Authorised Repairer (subject to conditions listed above) and was originally fitted correctly.

If any Part is repaired or replaced under this warranty then the repaired Part or the replacement will have the benefit of this warranty for the balance of the original 12 months.

MG Rover Parts' liability under the terms of this warranty shall be limited to the repair or replacement of any Part and, for the avoidance of doubt, nothing in this warranty shall make MG Rover Parts liable for towing, recovery or redelivery charges or shall render MG Rover Parts liable for loss consequent upon failure of the Part.

This warranty is in addition to, and does not detract from, a consumer's statutory rights.

NOTE: The "seller" referred to above could be an Independent Motor Trader. If the part is replaced there (as is the customer's right under The Supply of Goods and Services Act), the part will be replaced free of charge by MG Rover Parts but the labour cost will not be paid.

Warranty

ADDITIONAL RELEVANT INFORMATION

Adjustments

All maintenance components are expected to operate without adjustment or replacement until the first scheduled chargeable main service. Such items failing prematurely (as described previously) as a result of a manufacturing or material defect shall be replaced or repaired free of charge by an MG Rover Authorised Repairer.

Alternative Transport/Courtesy Cars

The provision of courtesy cars is the responsibility of an MG Rover Authorised Repairer and costs for alternative transport are not acceptable as a warranty claim.

Change of Ownership

The warranty is provided with the vehicle, not given to the owner; it, therefore, applies regardless of any change of ownership during the period covered.

Glass Crack/Shatter

Is covered by the MG Rover warranty if evident on receipt of vehicle or in service within 2,000 miles/3,200 kilometres, and thereafter if a result of a manufacturing or material defect. Where glass crack/shatter occurs during removal for rectification of a warranty problem by an MG Rover Authorised Repairer, claims will be accepted, provided the correct procedure for removal has been carried out according to MG Rover instructions. If the correct instructions have not been used and glass crack/shatter occurs, the cost of glass replacement/repair will be borne by the MG Rover Authorised Repairer.

Where such work is sub-contracted then the glass crack or shatter will be the responsibility of the sub-contractor and not the subject of a claim under MG Rover warranty.

Motability

Motability conversions are approved provided they do not involve structural alterations or affect safety critical aspects of the vehicle.

Use in Other EU countries

MG Rover owners visiting EU countries other than the country in which the vehicle was first sold will have the warranty applied as described on the initial selling invoice (provided with the vehicle when first sold). Should clarification of this policy be required, enquiries should be directed to an MG Rover Authorised Repairer.

- Repairs must be carried out by an MG Rover Authorised Repairer.
- The extent of cover is identical across the EU.
- Outside the EU, repairs can be authorised by the Warranty Holder, in which case reimbursement is arranged by presenting the invoice and receipt, together with this book to an MG Rover Authorised Repairer within the EU who will then submit a claim on the Warranty Holder's behalf. Reimbursement will be in the currency of the MG Rover Authorised Repairer within the EU.

Imported Vehicles

Imported vehicles/parallel imports will have the warranty applied as described on the initial selling invoice. The user will be expected to provide evidence of date of first sale from the selling MG Rover distributor.

Where a fault occurs in any parts involved in a conversion from LHD to RHD and vice versa, then the converter is responsible for warranty on that conversion. Where the fault lies with the parts then the converter should claim for these items from the supplying parts agent.

Warranty

Tyres

MG Rover passes on to the owner the original tyre manufacturer's warranty. The manufacturer's agent handles these warranties and franchise holders must resolve with the agent on behalf of the owner.

Wheel Balance/Alignment

Claimable only up to 6,000 miles/10,000 kilometres as a result of a manufacturing or material defect.





Index

A

ABS	55
Access code	11
Accessories	94
Aerial	59
Air conditioning	44
cooling	45
maintenance	44
operation	44
reducing humidity	45
settings	45
Air distribution	42
Air recirculation	44
Air vents	41
Airbag SRS	31
cleaning the modules	91
disposal	33
location	31
operation	32
safety	31
seating position	31
servicing	33
warning light	32
Alarm	
arming	7
engine immobilisation	11
handset battery replacement	13
if the alarm sounds	8
indicator light	8
interior space protection	9
key access code	11

Antifreeze	77
Antilock braking (ABS)	55
Anti-perforation warranty	128
Ashtrays	36
Asymmetric tyres	87
Audio system	59
Automatic gearbox	49
Automatic relocking and re-arming	9

B

Battery	
charging	82
check	81
condition	81
disconnection	81
disposal	82
maintenance	81
removal	81
replacement	82
safety	81
specifications	119
Blower control	42
Body number	92
Bonnet	
closing	73
opening	73
under the bonnet	74
Boot (opening)	10
Boot light bulb	115
Brake lights	113

Index

Brakes	54, 78
antilock (ABS)	55
emergency braking	55
fluid check & top-up	78
fluid replacement	70
fluid reservoir	78
fluid specification	78
foot brake	54
handbrake	54
parking	54
servo assistance	54
warning light	54
Breakdown assistance	126
Breakdown recovery	126
Bulb replacement	109
brake light	113
bulb specifications	109
direction indicator (front)	111
direction indicator (rear)	113
footwell light	115
front fog light	112
glovebox light	115
halogen bulbs	109
headlight (dipped beam)	110
headlight (main beam)	110
interior light	114
number plate	114
rear fog guard light	113
reverse light	113
side repeater light	112
sidelight	111
tail light	113
Bulb replacement - luggage compartment	115

C

Capacities	
cooling system	119
engine oil	119
fuel tank	119
gearbox (automatic)	119
gearbox (manual)	119
washer reservoir	119
Catalytic converter	58
Central door locking	7
Child restraints	30
Child seats	30
Cigar lighter	36
Cleaning	
airbag SRS modules	91
body protection	89
car interior	91
carpets and fabric	91
hood	90
instruments, clock and audio system	91
leather	91
mirrors	90
paintwork	89
plastic surfaces	91
polishing	89
seat belts	91
underneath the car	89
windows	90
wipers	90
Clock	35

Index

Clutch	
fluid check & top-up	79
fluid reservoir	79
fluid specification	78
Cold climates	47
Continuously variable transmission	49
Coolant	
check & top-up	77
specification	77
Coolant replacement	70
Cooling system	77
Courtesy lights	35
Cubby box	34
Cup holders	34

D

Data	
battery specification	119
capacities	119
dimensions	121
emissions	123
engine	118
fuel consumption figures	123
tyre pressures	120
tyre specification	119
weights	122
wheel specification	119
Declaration of Conformity	124
Defrosting	43
Demisting	43
Digital display	20

Dimensions	121
Dimmer switch	21
Direction indicator bulb (front)	111
Direction indicator bulb (rear)	113
Direction indicators	18
Directional tyres	87
Door locking cut-off switch	57
Door mirrors	38
adjustment (electric)	38
adjustment (manual)	38
folding	39
Drinks holders	34

E

Emergency starting	52
Emissions	
carbon dioxide	123
control	58, 70
reducing	53
Empty fuel tank	57
Engine compartment	75
Engine immobilisation	11
Engine immobilisation override	11
Engine number	92
Engine oil	
check & top-up	76
disposal	72
specification	76
temperature gauge	21

Index

Environment	
battery disposal	82
poisonous fluids	72
protection	53
used engine oil disposal	72
Environmental driving	53
Exhaust system	58

F

Face level vents	41
Fan speed control	42
Fog light bulb (front)	112
Fog lights	
bulb replacement	112
front	16
rear	16
Foot brake	54
Fuel	
consumption figures	123
cut-off switch	57
empty fuel tank	57
filler cap	56
filling	56
gauge	21
safety	57
specification	56
system	56

Fuses	105
checking & renewing	105
colours	105
location	104
passenger compartment fuse box	106
passenger compartment fuse specification	106
underbonnet fuse box	108
underbonnet fuse specifications	108
Fuses - spare	105

G

Gauges	20
engine oil temperature gauge	21
fuel gauge	21
illumination	21
speedometer	20
tachometer	20
temperature gauge	20
Gearbox number	92
Gears	
automatic	49
manual	48
selector lever	49
sport mode	50
steepspeed 'manual' selection	51
General data	118
Glovebox	10, 34
bulb replacement	115
locking	10
Ground clearance	121

Index

H

Halogen bulbs	109
Handbrake	54
Handset	
battery replacement	13
operation	7
Handset battery replacement	13
Hard-top	
fitting	67
removal	66
Hazard warning lights	16
Head restraints	27
Headlight beam spread adjustment	83
Headlight bulb	110
Headlights	18
dipped beam	18
main beam & flash	18
travelling abroad	83
Heated rear screen	16
Heating	42
air conditioning	44
air distribution	42
blower control	42
defrosting	43
demisting	43
settings	43
temperature control	42

Home start	126
Hood	62
cleaning	90
lowering	62
raising	63
waterproofing	90
Hood cover (fitting)	63
Horn operation	19

I

Identification numbers	92
Ignition switch	46
Inertia switch	57
Instrument panel	20
Instruments	
digital display	20
engine oil temperature gauge	21
fuel gauge	21
illumination	21
speedometer	20
tachometer	20
temperature gauge	20
trip recorder reset button	21
Interior door handles	9
Interior lights	
bulb replacement	114
operation	35
Interior space protection	9

Index

K

Key access code	11
Keys	
number	6
operation	7

L

Lashing points	103
Lights	
courtesy lights	35
direction indicators	18
headlights	18
interior lights	35
main beam & flash	18
sidelights	18
travelling abroad	83
warning buzzer	18
Lights on warning buzzer	18
Load carrying	60
Locking	
door sill locking buttons	9
glovebox	10
luggage compartment	10
vehicles with central door locking	7
with the handset	7
with the key	7
Locking wheel bolts	101
Lowering the hood	62
Luggage compartment (opening)	10
Luggage compartment light bulb	115

M

Maintenance	70
daily checks	71
poisonous fluids	72
safety	72
special operating conditions	71
weekly checks	71
Manual transmission	48
Message service	126
Mirrors	
cleaning	90
door mirror adjustment	38
door mirrors	38
folding the door mirrors	39
rear view mirror	39
vanity mirror	37, 39
Mislock	8

N

Number plate light bulb	114
-------------------------------	-----

O

Oil (engine)	
check & top-up	76
disposal	72
specification	76
Owner maintenance	71

Index

P

Parking	47
Parts	94
Parts warranty	133
Poisonous fluids	72
Polishing the paintwork	89
Pre-tensioners	
disposal	29
servicing	29
Puncture repair system	97
Punctured tyres	85

R

Radio	59
Radio aerial	59
Raising the hood	63
Rear fog guard light bulb	113
Rear fog guard lights	16
Rear light bulb	113
Rear screen	62
Rear screen demister	16
Rear view mirror	39
Recirculation	44
Remote handset	6, 7
Remote handset battery	13
Reverse light bulb	113
Roadside assistance	126
Routine servicing	70
Running-in	47

S

Safety in the garage	72
Seat belt pre-tensioners	
disposal	29
servicing	29
Seat belts	
care	29
child restraints	30
cleaning	91
operation	28
pre-tensioners	29
releasing	28
safety	28
safety check	29
Seating position	26
Seats	
adjustment	26
backrest adjustment	26
child restraints	30
forward/rearward adjustment	26
head restraint adjustment	27
Security card	3
Selector lever	49
Service history	70
Service information	70
Service information - airbag SRS	33
Service portfolio book	70

Index

Servicing	70
brake fluid replacement	70
coolant replacement	70
emission control	70
service history	70
Servicing and repair	70
Side lights	18
Side repeater light bulb	112
Sidelight bulb	111
Snow chains	88
Spare fuses	105
Spare wheel	86, 99
Specification	
battery	119
brake fluid	78
clutch fluid	78
coolant	77
engine	118
engine oil	76
passenger compartment fuses	106
tyres	119
underbonnet fuses	108
wheels	119
Speedometer	20
Starter switch	46
Starting	52
Starting the engine	47
Steering column adjustment	25
Steering lock	46
Stepspeed gear selection	51
Stepspeed transmission	49
Stereo system	59

Storage	34
cubby box	34
drop-down storage box	34
glovebox	34
Storage box	34
Sun visor	37

T

Tachometer	20
Tail light bulb	113
Technical data	118
Temperature control - Heater	42
Temperature gauge	20
Tool kit	99
Tow bars	60
Towing eyes	102
Towing for recovery	102
Trailer lashing	103
Transmission	
automatic	49
manual	48
selector lever	49
sport mode	50
stepspeed 'manual' selection	51
Transporting your vehicle	103
Trip recorder reset button	21
Turning circle	121
Tyre pressures	85

Index

Tyres	85
care	85
directional tyres	87
pressures	85, 120
punctures	85
replacement tyres	86
snow chains	88
spare	86
specification	119
valves	85
wear indicators	86
Tyres - asymmetric	87
Tyres - puncture repair system	97

U

Underbonnet compartment	74
-------------------------------	----

V

Valves (tyre)	85
Vanity mirror	37, 39
Vehicle designation	92
Vehicle identification number	92
Vehicle recovery	103, 126
Vehicle weights	122
Ventilation	41
VIN plate	92
Volumetric protection	9

W

Warming up	47
Warning lights	22
airbag SRS	22, 32
alarm indicator	22
anti-lock braking system	22
automatic transmission fault	22
battery charging	22
direction indicators	22
engine bay overheat	22
engine indicator	22
handbrake & brake system	22
hazard warning lights	22
headlight main beam	22
high engine oil temperature	22
low engine oil pressure	22
luggage compartment	22
power steering	22
rear fog guard lights	22
Warranty - 6 year anti-perforation	128
Warranty - first year	128, 129
Warranty - Parts	133
Washer jets	
maintenance	80
Washers	
fluid reservoir	80
operation	19
reservoir	80
top-up	80
Washing the car	89
Weights	122

Index

Wheel changing	100
Wheelbase	121
Wheels	
spare	99
specification	119
Windows	40
'one touch' opening	40
cleaning	90
operation	40
safety	40
Windscreen washer top-up	80
Windscreen washers	19
Windscreen wipers	19
Wipers	
blade replacement	84
cleaning	90
maintenance	84
operation	19

END OF OWNER'S HANDBOOK

END OF SERVICE HISTORY

Vehicle Safety Recalls

In most countries it is a requirement that owners be notified of safety defects that are the subject of a recall campaign for rectification, and are provided with information concerning the action they must take.

In the event of a recall campaign affecting your car, you will be contacted and invited to have your car inspected free of charge. For further information, refer to 'SERVICING AND REPAIR', page 3. It is in your interest to comply immediately with such a request.

If you suspect that your car has been missed by a recall campaign you should contact an MG Rover Authorised Repairer or suitably equipped servicing garage for advice. In the UK, if a repairer is unable to confirm the status of your car from his own records, he will call MG Rover and obtain the information you require.

Details of any work carried out on your car under a recall campaign will be recorded in the space below.

Campaign No.	Date
Action	
Odometer reading	

Campaign No.	Date
Action	
Odometer reading	

Campaign No.	Date
Action	
Odometer reading	

Campaign No.	Date
Action	
Odometer reading	

Change of address/ownership

To successfully resolve any recall campaign, it is important that we are able to contact you easily. If you have changed your address or have become the new owner of the car, please send the revised vehicle ownership details, including: the vehicle registration number and vehicle identification number (VIN), to the following address:

MG Rover Group, Warranty Administration, PO Box 41, Longbridge, Birmingham B31 2TB.

Airbag SRS and Seat Belt Pre-tensioners

REPLACEMENT


In the event of an airbag module or seat belt pre-tensioner deploying as a result of a vehicle impact or malfunction of the supplementary restraint system, the component will need to be replaced. To ensure absolute safety, it is recommended that this work is carried out by an MG Rover Authorised Repairer or suitably equipped servicing garage.

The repairer certifies that the affected airbag modules/seat belt pre-tensioners have been replaced in accordance with the manufacturer's instructions.

Date replaced

1 (R)
2 (R)

A (R)
B (R)



HB0463

The repairer certifies that the affected airbag modules/seat belt pre-tensioners have been replaced in accordance with the manufacturer's

Repairer Stamp

Signature

Date

Component Replacement Record

COMPONENT REPLACEMENT

The replacement of all major (or significant) components (e.g. engine, gearbox, instrument pack) should be recorded below by the MG Rover Authorised Repairer or servicing garage who carried out the work.

Component(s)
Repairer Stamp
Miles/km Date

Component(s)
Repairer Stamp
Miles/km Date

Component(s)
Repairer Stamp
Miles/km Date

Component(s)
Repairer Stamp
Miles/km Date

Next Anti-perforation Inspection Due	
Signature	
Odometer reading	Date
Required repairs	
.....	
.....	

Next Anti-perforation Inspection Due	
Signature _____	
Odometer reading	Date
Required repairs _____	

Anti-Perforation Inspection Record

First Anti-perforation Inspection Due	
Signature	
Odometer reading	Date
Required repairs	
.....	
.....	

Next Anti-perforation Inspection Due	
Signature	
Odometer reading	Date
Required repairs	
.....	
.....	

Next Anti-perforation Inspection Due	
Signature	
Odometer reading	Date
Required repairs	
.....	
.....	

Next Anti-perforation Inspection Due	
Signature	
Odometer reading	Date
Required repairs	
.....	
.....	

Service Record

Next Service Due	
Signature _____	
Odometer reading	Date
Brake fluid change <input type="checkbox"/>	Coolant change <input type="checkbox"/>
Camshaft belt replaced <input type="checkbox"/>	Anti-Perforation inspection <input type="checkbox"/>

Next Service Due	
Signature _____	
Odometer reading	Date
Brake fluid change <input type="checkbox"/>	Coolant change <input type="checkbox"/>
Camshaft belt replaced <input type="checkbox"/>	Anti-Perforation inspection <input type="checkbox"/>

Next Service Due	
Signature _____	
Odometer reading	Date
Brake fluid change <input type="checkbox"/>	Coolant change <input type="checkbox"/>
Camshaft belt replaced <input type="checkbox"/>	Anti-Perforation inspection <input type="checkbox"/>

Next Service Due	
Signature _____	
Odometer reading	Date
Brake fluid change <input type="checkbox"/>	Coolant change <input type="checkbox"/>
Camshaft belt replaced <input type="checkbox"/>	Anti-Perforation inspection <input type="checkbox"/>

Service Record

Next Service Due	
Signature _____	
Odometer reading	Date
Brake fluid change <input type="checkbox"/>	Coolant change <input type="checkbox"/>
Camshaft belt replaced <input type="checkbox"/>	Anti-Perforation inspection <input type="checkbox"/>

Next Service Due	
Signature _____	
Odometer reading	Date
Brake fluid change <input type="checkbox"/>	Coolant change <input type="checkbox"/>
Camshaft belt replaced <input type="checkbox"/>	Anti-Perforation inspection <input type="checkbox"/>

Next Service Due	
Signature _____	
Odometer reading	Date
Brake fluid change <input type="checkbox"/>	Coolant change <input type="checkbox"/>
Camshaft belt replaced <input type="checkbox"/>	Anti-Perforation inspection <input type="checkbox"/>

Next Service Due	
Signature _____	
Odometer reading	Date
Brake fluid change <input type="checkbox"/>	Coolant change <input type="checkbox"/>
Camshaft belt replaced <input type="checkbox"/>	Anti-Perforation inspection <input type="checkbox"/>

Service Record

First Service Due	
Signature _____	
Odometer reading	Date
Brake fluid change <input type="checkbox"/>	Coolant change <input type="checkbox"/>
Camshaft belt replaced <input type="checkbox"/>	Anti-Perforation inspection <input type="checkbox"/>

Next Service Due	
Signature _____	
Odometer reading	Date
Brake fluid change <input type="checkbox"/>	Coolant change <input type="checkbox"/>
Camshaft belt replaced <input type="checkbox"/>	Anti-Perforation inspection <input type="checkbox"/>

Next Service Due	
Signature _____	
Odometer reading	Date
Brake fluid change <input type="checkbox"/>	Coolant change <input type="checkbox"/>
Camshaft belt replaced <input type="checkbox"/>	Anti-Perforation inspection <input type="checkbox"/>

Next Service Due	
Signature _____	
Odometer reading	Date
Brake fluid change <input type="checkbox"/>	Coolant change <input type="checkbox"/>
Camshaft belt replaced <input type="checkbox"/>	Anti-Perforation inspection <input type="checkbox"/>

Service Record

SERVICE INTERVAL PLAN

All services should be carried out at the distance or time based intervals shown below (whichever occurs first).

SERVICE INTERVALS

15,000 miles or 12 months
30,000 miles or 2 years
45,000 miles or 3 years
60,000 miles or 4 years
75,000 miles or 5 years
90,000 miles or 6 years
105,000 miles or 7 years
120,000 miles or 8 years
135,000 miles or 9 years

NOTE: Brake fluid and coolant replacement must be undertaken at intervals of 2 and 4 years respectively. These additional service operations can be carried out in combination with any of the main services shown in the chart above.

Service Record

SERVICE RECORD PAGES

The following pages provide a complete record of the routine services and Anti-Perforation Warranty Inspections carried out on your car.

This information is important and could affect your warranty entitlement. Always make sure that the appropriate page of the Service Record is stamped and signed on the completion of each service visit.

ANTI-PERFORATION WARRANTY INSPECTIONS

These inspections must be carried out annually in order to maintain validity of the Six Year Anti-Perforation Warranty. You should be aware that the inspections will be carried out free of charge **ONLY** if carried out at the time of a routine service.

After completing the Anti-perforation Warranty Inspection, the details will need to be completed on the appropriate Service Record page and, if necessary, any repairs that are required must be listed. It is important to remember that it is the owner's responsibility to ensure that these repairs are carried out if the anti-perforation warranty is to remain valid.

REPLACEMENT SERVICE HISTORY BOOK

When the final service record entry has been completed, you should order a replacement Service History book from your dealer in order to continue keeping an accurate record of your car's service history.

Remember to transfer the details recorded under 'Vehicle Details' to your replacement book.

SERVICING AND REPAIR

In various places throughout this Handbook, you are advised to seek advice from your nearest MG Rover Authorised Repairer:

The reason for this is that to benefit from the MG Rover warranty any necessary warranty work must be carried out by an MG Rover Authorised Repairer. This restriction also applies to recall work or complimentary servicing (if any).

You are, of course, free to use an independent repairer for any non warranty repair or servicing work provided that this work is completed in accordance with the manufacturer's servicing and repair schedule. You may lose the benefit of your warranty where faulty repair or servicing work is carried out by an independent repairer during the warranty period.

Vehicle Details

The information recorded on this page is essential to ensure the correct identification of your car, its specification and any replacement parts that may be required. Whenever you take your car to an MG Rover Authorised Repairer or suitably equipped servicing garage, be sure to present this book to the service receptionist.

Model

Vehicle Identification No.....

Engine No.

Vehicle Registration No.

Date of First Registration

Warranty Expiry Date

The Distributor certifies that these details are correct and that the car has been carefully prepared in accordance with MG Rover Pre-Delivery Inspections standards.

Signature

Date

Service History

- 2** *Vehicle Details*
- 3** *Service Record*
- 8** *Anti-Perforation Inspection Record*
- 10** *Component Replacement Record*
- 11** *Airbag SRS and Seat Belt Pre-tensioners*
- 12** *Vehicle Safety Recalls*



recommends

Mobil

MGTF



Service History
Onderhoudsboekje
Historique d'entretien
Servicenachweis
Certificato di garanzia
Historial de serviço
Historial de servicio